



SAFETY DATA SHEET

Pro-fit Everfresh

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Pro-fit Everfresh
Product number	7905/22078
UFI	UFI: PPVP-A0WM-2003-492Q

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Last rinse additive; finishing agent
-----------------	--------------------------------------

1.3. Details of the supplier of the safety data sheet

Supplier	Christeyns NV Afrikalaan 182 9000 Gent Belgium Tel: +32 9 223 38 71 info@christeyns.be
Manufacturer	Cole & Wilson Ltd c/o Rutland Street Bradford West Yorkshire BD4 7EA T:01274 393286 F: 01274 309143 info@colewilson.co.uk

1.4. Emergency telephone number

Emergency telephone	Christeyns NV: Tel: +32 9 223 38 71 (Mon-Fri 8am-4pm)
National emergency telephone number	(DE) Giftnotruf Berlin +49 30 19240 (24h erreichbar) (DE) Giftnotruf Berlin +49 (0)30 30686 790 (CH) STIZ, tel. 145 (CH) Centre suisse d'information toxicologique: +41.(0)1.251.51.51 (AT) Vergiftungsinformationszentrale: +43 1 40 400 2222 worldwide: http://www.who.int/ipcs/poisons/centre/directory/en (FR) CENTRE ANTI-POISON France: +33 45 42 59 59 ORFILA (INRS) (FR) CENTRE ANTI-POISON Nancy: +33 (03) 83 26 36 36 (FI) Myrkytystietokeskus +358 9 471 977 (BE) Belgisch Antigifcentrum/Centre Antipoisons Belge : +32 70 245 245 (ES) Teléfono Instituto Nacional de Toxicología: 915 620 420 (GB) NHS 111 (IT) Centro Antiveleni, Ospedale Niguarda Milano: +39 02 6610 1029 (CZ) Toxikologické informační středisko, Klinika pracovního lékařství VFN a 1. LF UK, Na Bojišti 1, 120 00 Praha 2: +420 224 919 293, +420 224 915 402 (SK) Národné toxikologické informačné centrum, Univerzitná nemocnica Bratislava, pracovisko Kramáre, Klinika pracovného lekárstva a toxikológie, Limbová 5, 833 05 Bratislava : +421 2 54 77 41 66 NHS Direct 111 (GB)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Pro-fit Everfresh

Classification (SI 2019 No. 720)

Physical hazards	Not Classified
Health hazards	Not Classified
Environmental hazards	Aquatic Chronic 3 - H412

2.2. Label elements

Hazard statements	H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	P262 Do not get in eyes, on skin, or on clothing.
Detergent labelling	< 5% aliphatic hydrocarbons, < 5% cationic surfactants, < 5% perfumes, Contains LIMONENE

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

<p>propan-2-ol <1%</p> <p>CAS number: 67-63-0 EC number: 200-661-7</p>
<p>Classification</p> <p>Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336</p>
<p>hexahydro-hexamethyl-cyclopenta-benzopyran <1%</p> <p>CAS number: 1222-05-5 EC number: 214-946-9</p> <p>M factor (Acute) = 1 M factor (Chronic) = 1</p>
<p>Classification</p> <p>Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410</p>
<p>Diethyl phthalate <1%</p> <p>CAS number: 84-66-2 EC number: 201-550-6</p>
<p>Classification</p> <p>Not Classified</p>
<p>d-LIMONENE 0.026%</p> <p>CAS number: 5989-27-5 EC number: 227-813-5</p> <p>M factor (Acute) = 1 M factor (Chronic) = 1</p>
<p>Classification</p> <p>Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410</p>

Pro-fit Everfresh

Alpha-IsoMethyl Ionone 0.0038% CAS number: 127-51-5 EC number: 204-846-3
Classification Skin Sens. 1B - H317 Aquatic Chronic 2 - H411
Linalool 0.0037% CAS number: 78-70-6 EC number: 201-134-4
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1B - H317
Beta Pinene <1% CAS number: 127-91-3 EC number: 204-872-5
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304
CITRAL 0.0019% CAS number: 5392-40-5 EC number: 226-394-6
Classification Skin Irrit. 2 - H315 Skin Sens. 1 - H317
COUMARIN 0.0018% CAS number: 91-64-5 EC number: 202-086-7
Classification Acute Tox. 4 - H302 Skin Sens. 1B - H317 Aquatic Chronic 3 - H412
METHANOL <1% CAS number: 67-56-1 EC number: 200-659-6
Classification Flam. Liq. 2 - H225 Acute Tox. 3 - H301 Acute Tox. 3 - H311 Acute Tox. 3 - H331 STOT SE 1 - H370

Pro-fit Everfresh

EUGENOL	0.0015%
CAS number: 97-53-0	EC number: 202-589-1
Classification Eye Irrit. 2 - H319 Skin Sens. 1B - H317	

The full text for all hazard statements is displayed in Section 16.

Composition comments No classified ingredients, or those having occupational exposure limits, present above the levels of disclosure.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Get medical attention if symptoms are severe or persist. Remove affected person from source of contamination.
Inhalation	Unlikely route of exposure as the product does not contain volatile substances. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Promptly get affected person to drink large volumes of water to dilute the swallowed chemical. Give milk instead of water if readily available. Get medical attention immediately.
Skin contact	Wash skin thoroughly with soap and water. Remove contaminated clothing. Get medical attention promptly if symptoms occur after washing.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.

4.2. Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Spray/mists may cause respiratory tract irritation. This is unlikely to occur but symptoms similar to those of ingestion may develop.
Ingestion	May cause discomfort if swallowed. May cause stomach pain or vomiting.
Skin contact	May cause skin irritation. Prolonged or repeated contact with skin may cause irritation, redness and dermatitis.
Eye contact	May cause eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards	No unusual fire or explosion hazards noted.
Hazardous combustion products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting Dangerous for the environment if discharged into watercourses. If risk of water pollution occurs, notify appropriate authorities. Control run-off water by containing and keeping it out of sewers and watercourses.

Pro-fit Everfresh

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Harmful to aquatic life with long lasting effects. Dangerous for the environment if discharged into watercourses. Do not discharge into drains or watercourses or onto the ground. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb in vermiculite, dry sand or earth and place into containers. Wash thoroughly after dealing with a spillage. Dispose of contents/container in accordance with national regulations.

6.4. Reference to other sections

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use.

Advice on general occupational hygiene Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep above the chemical's freezing point to avoid rupturing the container. Keep container tightly closed, in a cool, well ventilated place.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

propan-2-ol

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m³

Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m³

Diethyl phthalate

Long-term exposure limit (8-hour TWA): WEL 5 mg/m³

Short-term exposure limit (15-minute): WEL 10 mg/m³

Beta Pinene

Long-term exposure limit (8-hour TWA): WEL 140 mg/m³ 25 ppm

Short-term exposure limit: WEL 300 mg/m³ 50 ppm

METHANOL

Long-term exposure limit (8-hour TWA): WEL 200 ppm 266 mg/m³

Short-term exposure limit (15-minute): WEL 250 ppm 333 mg/m³

Sk

Pro-fit Everfresh

WEL = Workplace Exposure Limit.
Sk = Can be absorbed through the skin.

Fatty acids, C16-18 (even numbered) and C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized (CAS: 91995-81-2)

DNEL	Workers - Dermal; Long term systemic effects: 312.5 mg/kg/day Workers - Inhalation; Long term systemic effects: 44 mg/m ³ General population - Oral; Long term systemic effects: 7.5 mg/kg/day General population - Inhalation; Long term systemic effects: 13 mg/m ³ General population - Dermal; Long term systemic effects: 187.5 mg/kg/day
PNEC	- Fresh water; 0.065 mg/l - marine water; 0.0065 mg/l - Sediment; 141 mg/kg - Soil; 574 mg/kg - STP; 2.96

propan-2-ol (CAS: 67-63-0)

DNEL	Workers - Dermal; Long term systemic effects: 888 mg/kg bw/day Workers - Inhalation; Long term systemic effects: 500 mg/m ³ Consumer - Dermal; Long term systemic effects: 319 mg/kg bw/day Consumer - Inhalation; Long term systemic effects: 89 mg/m ³ Consumer - Oral; Long term systemic effects: 26 mg/kg bw/day
PNEC	- Fresh water; 140.9 mg/l - marine water; 140.9 mg/l - Intermittent release; 140.9 mg/l - STP; 2251 mg/l - Sediment; 552 mg/kg - Soil; 28 mg/kg

Tetrahydro Linalool (CAS: 78-69-3)

DNEL	Workers - Inhalation; Long term systemic effects: 2.75 mg/m ³ Workers - Dermal; Long term systemic effects: 2.5 mg/kg bw/day Workers - Dermal; Short term local effects: 2.76 mg/cm ² Consumer - Inhalation; Long term systemic effects: 0.68 mg/m ³ Consumer - Oral; Long term systemic effects: 0.2 mg/kg bw/day Consumer - Dermal; Long term systemic effects: 1.25 mg/kg bw/day Consumer - Dermal; Short term local effects: 2.76 mg/cm ²
PNEC	Fresh water; 0.0089 mg/l marine water; 0.00089 mg/l STP; 450 mg/l Sediment (Freshwater); 0.0821 mg/kg Sediment (Marinewater); 0.00821 mg/kg Soil; 0.0112 mg/kg

TETRAHYDRO-2-ISOBUTYL-4-METHYLPYRAN-4-OL, Mixed isomers (cis & trans) (CAS: 63500-71-0)

DNEL	Workers - Inhalation; Long term systemic effects: 44.1 mg/m ³ Workers - Dermal; Long term systemic effects: 41.7 mg/kg bw/day General population - Inhalation; Long term systemic effects: 13 mg/m ³ General population - Dermal; Long term systemic effects: 25 mg/kg bw/day General population - Oral; Long term systemic effects: 7.5 mg/kg bw/day
------	---

METHANOL (CAS: 67-56-1)

Pro-fit Everfresh

DNEL	Industry - Dermal; Short term systemic effects: 40 mg/kg/day Industry - Inhalation; Short term systemic effects: 260 mg/m ³ Industry - Dermal; Long term systemic effects: 40 mg/kg/day Industry - Inhalation; Long term systemic effects: 260 mg/m ³ Consumer - Dermal; Short term systemic effects: 8 mg/kg/day Consumer - Inhalation; Short term systemic effects: 50 mg/m ³ Consumer - Oral; Short term systemic effects: 8 mg/kg/day Consumer - Dermal; Long term systemic effects: 8 mg/kg/day Consumer - Inhalation; Long term systemic effects: 50 mg/m ³
PNEC	Industry - Fresh water; Long term 20.8 mg/l Industry - marine water; Long term 2.08 mg/l Industry - Intermittent release; Long term 1540 mg/l Industry - STP; Long term 100 mg/l Industry - Sediment (Freshwater); Long term 77 mg/kg

8.2. Exposure controls

Protective equipment



Appropriate engineering controls	Provide adequate ventilation if the airborne contamination exceeds occupational exposure limits
Eye/face protection	Safety glasses with side-shields (EN 166).
Hand protection	Chemical resistant PVC/Nitrilrubber gloves (to European standard EN 374 or equivalent). Thickness: 0,4 mm. Penetration time: >480 min (level 6). The selection of specific gloves for a specific application and time of use in a working area, should also take into account other factors on the working space, such as (but not limited to): other chemicals that are possibly used, physical requirements (protection against cutting/drilling, skill, thermal protection), and the instructions/specification of the supplier of gloves.
Other skin and body protection	Wear suitable protective clothing (EN14605)
Hygiene measures	Do not eat, drink or smoke when using this product.
Respiratory protection	Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Opaque liquid.
Colour	Blue.
Odour	Perfume.
pH	pH (diluted solution): 6-8 1%
Flash point	Not applicable.
Relative density	~ 0.99 @ 20°C
Solubility(ies)	Soluble in water.

9.2. Other information

Other information	Not known.
--------------------------	------------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	The following materials may react with the product: Oxidising agents. Reducing agents.
-------------------	--

10.2. Chemical stability

Pro-fit Everfresh

Stability No particular stability concerns.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Under normal conditions of storage and use, hazardous reactions will not occur.

10.4. Conditions to avoid

Conditions to avoid Avoid contact with the following materials: Oxidising agents. Reducing agents.

10.5. Incompatible materials

Materials to avoid Oxidising agents. Reducing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Not regarded as a health hazard under current legislation.

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

IARC carcinogenicity

None of the ingredients are listed or exempt.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity - development

Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

Pro-fit Everfresh

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Spray/mists may cause respiratory tract irritation. This is unlikely to occur but symptoms similar to those of ingestion may develop.
Ingestion	May cause discomfort if swallowed. May cause stomach pain or vomiting.
Skin contact	May cause skin irritation. Prolonged or repeated contact with skin may cause irritation, redness and dermatitis.
Eye contact	May cause eye irritation.
Acute and chronic health hazards	This product may cause skin and eye irritation. Repeated exposure may cause chronic eye irritation. Mild dermatitis, allergic skin rash.
Route of exposure	Skin and/or eye contact Inhalation Ingestion

Toxicological information on ingredients.

Fatty acids, C16-18 (even numbered) and C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 5,000.0

Species Rat

ATE oral (mg/kg) 5,000.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 2,001.0

Species Rat

ATE dermal (mg/kg) 2,001.0

propan-2-ol

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅₀ vapours mg/l) 26.0

ATE inhalation (vapours mg/l) 26.0

Carcinogenicity

IARC carcinogenicity IARC Group 3 Not classifiable as to its carcinogenicity to humans.

hexahydro-hexamethyl-cyclopenta-benzopyran

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 4,640.0

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 6,500.0

Species Rabbit

Pro-fit Everfresh

2,6-Dimethyl-7-Octenol-2-ol

Acute toxicity - oral

Acute toxicity oral (LD₅₀
mg/kg) 3,600.0

Species Rat

ATE oral (mg/kg) 3,600.0

d-LIMONENE

Acute toxicity - oral

Acute toxicity oral (LD₅₀
mg/kg) 4,400.0

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀
mg/kg) 5,001.0

Species Rabbit

Carcinogenicity

IARC carcinogenicity IARC Group 3 Not classifiable as to its carcinogenicity to humans.

2-Tertiary-Butylcyclohexylacetate

Acute toxicity - oral

Acute toxicity oral (LD₅₀
mg/kg) 4,600.0

Species Rat

ATE oral (mg/kg) 4,600.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀
mg/kg) 5,001.0

Species Rabbit

ATE dermal (mg/kg) 5,001.0

Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOAEL 468.5 mg/kg, Oral, Rat

Tetrahydro Linalool

Acute toxicity - oral

Acute toxicity oral (LD₅₀
mg/kg) 8,270.0

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀
mg/kg) 5,001.0

Species Rabbit

TETRAHYDRO-2-ISOBUTYL-4-METHYLPYRAN-4-OL, Mixed isomers (cis & trans)

Pro-fit Everfresh

Acute toxicity - oral

Acute toxicity oral (LD₅₀
mg/kg) 5,001.0

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀
mg/kg) 2,001.0

Species Rabbit

4-tertiary-butyl-cyclohexyl-acetate

Acute toxicity - oral

Acute toxicity oral (LD₅₀
mg/kg) 5,001.0

Species Rat

ATE oral (mg/kg) 5,001.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀
mg/kg) 5,001.0

Species Rabbit

ATE dermal (mg/kg) 5,001.0

hexyl-2-hydroxybenzoate

Acute toxicity - oral

Acute toxicity oral (LD₅₀
mg/kg) 5,001.0

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀
mg/kg) 5,001.0

Species Rabbit

1-Propanaminium,N,N,N-trimethyl-3-[(2- methyl-1-oxo-2-propenyl)amino]-,chloride,polymer with 2-propenoic acid,sodium salt

Acute toxicity - oral

Acute toxicity oral (LD₅₀
mg/kg) 5,001.0

Species Rat

ATE oral (mg/kg) 5,001.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀
mg/kg) 5,001.0

Species Rat

ATE dermal (mg/kg) 5,001.0

2,4-Dimethylcyclohex-3-ene-1-carbaldehyde

Pro-fit Everfresh

Acute toxicity - oral

Acute toxicity oral (LD₅₀
mg/kg) 3,900.0

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀
mg/kg) 5,000.0

Species Rabbit

ATE dermal (mg/kg) 5,000.0

Tricyclodecanyl Propionate

Acute toxicity - oral

Acute toxicity oral (LD₅₀
mg/kg) 5,001.0

Species Rat

ATE oral (mg/kg) 5,001.0

Allyl-3-Cyclohexylpropionate

Acute toxicity - oral

Acute toxicity oral (LD₅₀
mg/kg) 1,051.0

Species Rat

ATE oral (mg/kg) 1,051.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀
mg/kg) 1,600.0

Species Rabbit

ATE dermal (mg/kg) 1,100.0

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅₀
vapours mg/l) 11.0

ATE inhalation (vapours mg/l) 11.0

2-(2-(4-Methyl-3-Cyclohexen-1-yl) Propyl)-Cyclopentanone

Acute toxicity - oral

Acute toxicity oral (LD₅₀
mg/kg) 2,001.0

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀
mg/kg) 2,001.0

Species Rat

ATE dermal (mg/kg) 2,001.0

Pro-fit Everfresh

Methyl-Beta Naphthyl Ether

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀
mg/kg) 5,001.0

Species Rabbit

ATE dermal (mg/kg) 5,001.0

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-Tetramethyl-2-naphthyl)Ethan-1-one

Acute toxicity - oral

Acute toxicity oral (LD₅₀
mg/kg) 5,001.0

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀
mg/kg) 5,001.0

Species Rabbit

ATE dermal (mg/kg) 5,001.0

Linalool

Acute toxicity - oral

Acute toxicity oral (LD₅₀
mg/kg) 2,790.0

Species Rat

ATE oral (mg/kg) 2,790.0

DAMASCONE (DELTA)

Acute toxicity - oral

Acute toxicity oral (LD₅₀
mg/kg) 1,821.0

Species Mouse

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀
mg/kg) 5,001.0

Species Rabbit

2-propenylhexanoate

Acute toxicity - oral

Acute toxicity oral (LD₅₀
mg/kg) 218.0

Species Rat

ATE oral (mg/kg) 218.0

Acute toxicity - dermal

Pro-fit Everfresh

Acute toxicity dermal (LD₅₀
mg/kg) 300.0

Species Rabbit

ATE dermal (mg/kg) 300.0

Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 3.0

COUMARIN

Acute toxicity - oral

Acute toxicity oral (LD₅₀
mg/kg) 520.0

Species Rat

ATE oral (mg/kg) 520.0

Carcinogenicity

IARC carcinogenicity IARC Group 3 Not classifiable as to its carcinogenicity to humans.

METHANOL

Acute toxicity - oral

ATE oral (mg/kg) 100.0

Acute toxicity - dermal

ATE dermal (mg/kg) 300.0

Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 3.0

Specific target organ toxicity - single exposure

STOT - single exposure LOAEL 2000 mg/kg, Oral, Rat

Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOAEC 0.13 mg/l/6hr/day, Inhalation, Rat

EUGENOL

Acute toxicity - oral

Acute toxicity oral (LD₅₀
mg/kg) 2,130.0

Species Guinea pig

ATE oral (mg/kg) 2,130.0

Carcinogenicity

IARC carcinogenicity IARC Group 3 Not classifiable as to its carcinogenicity to humans.

Allyl Amyl Glycolate

Acute toxicity - oral

Acute toxicity oral (LD₅₀
mg/kg) 302.0

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

Pro-fit Everfresh

Acute toxicity dermal (LD₅₀
mg/kg) 1,105.0

ATE dermal (mg/kg) 1,100.0

P-Cresyl Methylether

Acute toxicity - oral

ATE oral (mg/kg) 500.0

Allyl Heptanoate

Acute toxicity - oral

ATE oral (mg/kg) 100.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀
mg/kg) 810.0

Species Rabbit

ATE dermal (mg/kg) 810.0

DAMASCONE (DELTA)

Acute toxicity - oral

Acute toxicity oral (LD₅₀
mg/kg) 1,400.0

Species Mouse

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀
mg/kg) 5,001.0

Species Rabbit

Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOAEL 30 mg/kg, Oral, Rat

SECTION 12: Ecological information

Ecotoxicity Dangerous for the environment if discharged into watercourses. Harmful to aquatic life with long lasting effects.

12.1. Toxicity

Toxicity Harmful to aquatic life with long lasting effects.

Ecological information on ingredients.

Fatty acids, C16-18 (even numbered) and C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: >1 mg/l, Fish

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 10000 mg/l, Daphnia magna

propan-2-ol

Acute aquatic toxicity

Pro-fit Everfresh

Acute toxicity - fish	LC ₅₀ , 96 hours: 9640 mg/l, Pimephales promelas (Fat-head Minnow)
Acute toxicity - aquatic invertebrates	LC ₅₀ , 24 hours: 9714 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: >100 mg/l, Scenedesmus subspicatus
Acute toxicity - microorganisms	EC ₅₀ , : >100 mg/l, Bacteria

hexahydro-hexamethyl-cyclopenta-benzopyran

Acute aquatic toxicity

LE(C) ₅₀	0.1 < L(E)C50 ≤ 1
M factor (Acute)	1
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 0.9 mg/l, Daphnia
Acute toxicity - aquatic plants	IC ₈₀ , 72 hours: >0.854 mg/l, Algae

Chronic aquatic toxicity

M factor (Chronic)	1
--------------------	---

d-LIMONENE

Acute aquatic toxicity

LE(C) ₅₀	0.1 < L(E)C50 ≤ 1
M factor (Acute)	1
Acute toxicity - fish	LC ₅₀ , 96 hours: 0.7 mg/l, Pimephales promelas (Fat-head Minnow) LC ₅₀ , 96 hours: 0.8 mg/l, Fish
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 0.4 mg/l, Daphnia magna EC ₅₀ , 48 hours: 69.6 mg/l, Daphnia
Acute toxicity - aquatic plants	NOEC, 96 hours: 4 mg/l, ErC50, 72 hours: 8 mg/l, Desmodesmus subspicatus NOEC, 72 hours: 2.62 mg/l, Desmodesmus subspicatus

Chronic aquatic toxicity

M factor (Chronic)	1
Chronic toxicity - aquatic invertebrates	NOEC, 16 days: estimated 0.115 mg/l, Daphnia magna

TETRAHYDRO-2-ISOBUTYL-4-METHYLPYRAN-4-OL, Mixed isomers (cis & trans)

Acute aquatic toxicity

Acute toxicity - fish	LC ₅₀ , 96 hours: 354 mg/l, Fish
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: >320 mg/l, Daphnia
Acute toxicity - aquatic plants	IC ₅₀ , 72 hours: >94 mg/l, Algae

Chronic aquatic toxicity

Chronic toxicity - aquatic invertebrates	NOEC, 48 hours: 320 mg/l, Daphnia
--	-----------------------------------

hexyl-2-hydroxybenzoate

Acute aquatic toxicity

Pro-fit Everfresh

LE(C) ₅₀	0.1 < L(E)C50 ≤ 1
M factor (Acute)	1
Acute toxicity - fish	LC ₅₀ , 96 hours: >100 mg/l, Brachydanio rerio (Zebra Fish)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 0.357 mg/l, Daphnia magna EC ₅₀ , 96 hours: 0.39 mg/l, Daphnia magna, Freshwater invertebrates, Marinewater invertebrates
Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: 0.61 mg/l, Pseudokirchneriella subcapitata
Chronic aquatic toxicity	
M factor (Chronic)	1

7-Acetyl-1,1,3,4,4,6-hexamethyl tetralin

Acute aquatic toxicity	
LE(C) ₅₀	0.1 < L(E)C50 ≤ 1
M factor (Acute)	1
Chronic aquatic toxicity	
M factor (Chronic)	1

2,4-Dimethylcyclohex-3-ene-1-carbaldehyde

Acute aquatic toxicity	
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 76 mg/l, Daphnia

Allyl-3-Cyclohexylpropionate

Acute aquatic toxicity	
LE(C) ₅₀	0.1 < L(E)C50 ≤ 1
M factor (Acute)	1
Acute toxicity - fish	LC ₅₀ , 96 hours: 0.13 mg/l, Fish
Acute toxicity - aquatic invertebrates	LC ₅₀ , 48 hours: 3.8 mg/l, Daphnia
Acute toxicity - aquatic plants	IC ₅₀ , 72 hours: 3 mg/l, Algae NOEC, 72 hours: 0.74 mg/l, Pseudokirchneriella subcapitata
Chronic aquatic toxicity	
M factor (Chronic)	1

2-(2-(4-Methyl-3-Cyclohexen-1-yl) Propyl)-Cyclopentanone

Acute aquatic toxicity	
LE(C) ₅₀	0.1 < L(E)C50 ≤ 1
M factor (Acute)	1
Acute toxicity - fish	LC ₅₀ , 96 hours: 5.47 mg/l, Brachydanio rerio (Zebra Fish)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 0.49 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: 2.9 mg/l, Selenastrum capricornutum

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-Tetramethyl-2-naphthyl)Ethan-1-one

Pro-fit Everfresh

Acute aquatic toxicity

Acute toxicity - fish	LC ₅₀ , 96 hours: 1.3 mg/l, Fish
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 1.4 mg/l, Daphnia
Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: 2.6 mg/l, Algae

Chronic aquatic toxicity

M factor (Chronic)	1
Chronic toxicity - aquatic invertebrates	NOEC, 21 days: 0.028 mg/l, Daphnia

DAMASCONE (DELTA)

Acute aquatic toxicity

LE(C) ₅₀	0.1 < L(E)C50 ≤ 1
M factor (Acute)	1
Acute toxicity - fish	LC ₅₀ , 96 hours: 0.97 mg/l, Fish
Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: 2.47 mg/l, Algae

Chronic aquatic toxicity

M factor (Chronic)	1
Chronic toxicity - aquatic invertebrates	NOEC, 21 days: 0.35 mg/l, Daphnia

2-propenylhexanoate

Acute aquatic toxicity

LE(C) ₅₀	0.1 < L(E)C50 ≤ 1
M factor (Acute)	1
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 2 mg/l, Daphnia magna

METHANOL

Acute aquatic toxicity

Acute toxicity - fish	LC ₅₀ , 96 hours: 15400 mg/l, Lepomis macrochirus (Bluegill)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: >1000 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 96 hours: 22000 mg/l, Selenastrum capricornutum

EUGENOL

Acute aquatic toxicity

LE(C) ₅₀	0.1 < L(E)C50 ≤ 1
---------------------	-------------------

Allyl Amyl Glycolate

Acute aquatic toxicity

LE(C) ₅₀	0.1 < L(E)C50 ≤ 1
M factor (Acute)	1

Allyl Heptanoate

Pro-fit Everfresh

Acute aquatic toxicity

LE(C)₅₀ 0.1 < L(E)C₅₀ ≤ 1

M factor (Acute) 1

DAMASCONE (DELTA)

Acute aquatic toxicity

LE(C)₅₀ 0.1 < L(E)C₅₀ ≤ 1

M factor (Acute) 1

Acute toxicity - fish LC₅₀, 96 hours: 0.97 mg/l, *Oryzias latipes* (Red killifish)

Acute toxicity - aquatic plants ErC₅₀, 72 hours: 4.54 mg/l, *Pseudokirchneriella subcapitata*
NOEC, 72 hours: 0.883 mg/l, *Pseudokirchneriella subcapitata*

Chronic aquatic toxicity

M factor (Chronic) 1

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in The Detergents Regulations (as amended).

Ecological information on ingredients.

hexahydro-hexamethyl-cyclopenta-benzopyran

Persistence and degradability Not readily biodegradable.

2,6-Dimethyl-7-Octenol-2-ol

Persistence and degradability Readily biodegradable.

Biodegradation - 73%: 28 days

d-LIMONENE

Persistence and degradability Not readily biodegradable.

2-Tertiary-Butylcyclohexylacetate

Biodegradation Activated sludge - Degradation 43 %: ~ 28 days

Tetrahydro Linalool

Persistence and degradability Readily biodegradable.

Biodegradation Directive 67/548/EEC Annex V, C.4.C - Degradation 64%:
Directive 67/548/EEC Annex V, C.4.B - Degradation 100%:
Directive 67/548/EEC Annex V, C.4.F - Degradation >60%:

TETRAHYDRO-2-ISOBUTYL-4-METHYLPYRAN-4-OL, Mixed isomers (cis & trans)

Persistence and degradability Not readily biodegradable.

4-tertiary-butyl-cyclohexyl-acetate

Persistence and degradability Readily biodegradable.

Biodegradation - Degradation 75%:

Pro-fit Everfresh

hexyl-2-hydroxybenzoate

Persistence and degradability	Readily biodegradable.
Biodegradation	OECD 301F - 43%: 28 days Directive 67/548/EEC Annex V, C.4.D - Degradation 20%:

Allyl-3-Cyclohexylpropionate

Persistence and degradability	Readily biodegradable.
Biodegradation	- 86%: 28 days

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-Tetramethyl-2-naphthyl)Ethan-1-one

Persistence and degradability	Not readily biodegradable.
Biodegradation	- 11%: 28 days

DAMASCONE (DELTA)

Persistence and degradability	Not readily biodegradable.
Biodegradation	- 16%: 28 days

2-propenylhexanoate

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

COUMARIN

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

METHANOL

Persistence and degradability	The product is readily biodegradable.
-------------------------------	---------------------------------------

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Ecological information on ingredients.

hexahydro-hexamethyl-cyclopenta-benzopyran

Partition coefficient	log Pow: 5.3
-----------------------	--------------

d-LIMONENE

Partition coefficient	log Kow: 2.78-5.03
-----------------------	--------------------

2-Tertiary-Butylcyclohexylacetate

Bioaccumulative potential	BCF: ~ 156, Oncorhynchus mykiss (Rainbow trout)
---------------------------	---

Tetrahydro Linalool

Partition coefficient	log Pow: 3.3
-----------------------	--------------

TETRAHYDRO-2-ISOBUTYL-4-METHYLPYRAN-4-OL, Mixed isomers (cis & trans)

Partition coefficient	log Pow: 1.65
-----------------------	---------------

Pro-fit Everfresh

hexyl-2-hydroxybenzoate

Partition coefficient log Pow: 5.5 (30C)

2,4-Dimethylcyclohex-3-ene-1-carbaldehyde

Partition coefficient log Pow: 2.34

Allyl-3-Cyclohexylpropionate

Partition coefficient log Pow: 4.3

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8-Tetramethyl-2-naphthyl)Ethan-1-one

Partition coefficient log Pow: 5.65

METHANOL

Partition coefficient log Pow: -0.8

DAMASCONE (DELTA)

Partition coefficient log Pow: 4.2

12.4. Mobility in soil

Mobility The product is soluble in water.

Ecological information on ingredients.

METHANOL

Mobility Soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Ecological information on ingredients.

METHANOL

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Dispose of in accordance with Local Authority regulations as special waste according to The Control of Special Waste Regulations 1996.

EURAL Code

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

Pro-fit Everfresh

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Danish product registration number

Danish national regulations

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

Inventories

EU - EINECS/ELINCS

None of the ingredients are listed or exempt.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
 RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
 IATA: International Air Transport Association.
 ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.
 IMDG: International Maritime Dangerous Goods.
 CAS: Chemical Abstracts Service.
 ATE: Acute Toxicity Estimate.
 LC50: Lethal Concentration to 50 % of a test population.
 LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).
 EC₅₀: 50% of maximal Effective Concentration.
 PBT: Persistent, Bioaccumulative and Toxic substance.
 vPvB: Very Persistent and Very Bioaccumulative.

Revision comments	Revised classification.
Revision date	13/05/2021
Revision	8
Supersedes date	03/01/2020
SDS number	7905/22078

Pro-fit Everfresh

Hazard statements in full

H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.
H301 Toxic if swallowed.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H311 Toxic in contact with skin.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
H336 May cause drowsiness or dizziness.
H370 Causes damage to organs .
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.