

SAFETY DATA SHEET Sultraspot Metal (N)

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Sultraspot Metal (N)

Product number 7874/21836

UFI: W0TP-N0H9-J00R-MQ04

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Spotting Agent

1.3. Details of the supplier of the safety data sheet

Supplier Christeyns NV

Afrikalaan 182 9000 Gent Belgium

Tel: +32 9 223 38 71 info@christeyns.be

Manufacturer Cole & Wilson Ltd

Rutland Street Bradford West Yorkshire BD4 7EA T:01274 393286 F: 01274 309143 info@colewilson.co.uk

1.4. Emergency telephone number

Emergency telephone Christeyns NV: Tel: +32 9 223 38 71 (Mon-Fri 8am-4pm)

National emergency telephone

number

(DE) Giftnotruf Berlin +49 30 19240 (24h erreichbar)

(DE) Giftnotruf Berlin +49 (0)30 30686 790

(CH) STIZ, tel. 145

(CH) Centre suisse d'information toxicologique: +41.(0)1.251.51.51

(AT) Vergiftungsinformationszentrale: +43 1 40 400 2222 worldwide: http://www.who.int/ipcs/poisons/centre/directory/en

(FR) CENTRE ANTI-POISON France: +33 45 42 59 59 ORFILA (INRS)

(FR) CENTRE ANTI-POISON Nancy: +33 (03) 83 26 36 36

(FI) Myrkytystietokeskus +358 9 471 977

(BE) Belgisch Antigifcentrum/Centre Antipoisons Belge: +32 70 245 245

(ES) Teléfono Instituto Nacional de Toxicología: 915 620 420

(GB) NHS 111

(IT) Centro Antiveleni, Ospedale Niguarda Milano: +39 02 6610 1029

(CZ) Toxikologické informační středisko, Klinika pracovního lékařství VFN a 1. LF UK, Na Bojišti 1, 120 00

Praha 2: +420 224 919 293, +420 224 915 402

(SK) Národné toxikologické informačné centrum, Univerzitná nemocnica Bratislava, pracovisko Kramáre,

Klinika pracovného lekárstva a toxikológie, Limbová 5, 833 05 Bratislava : +421 2 54 77 41 66

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Sultraspot Metal (N)

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Dam. 1 - H318

Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms



Signal word Danger

Hazard statements H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor.

P332+P313 If skin irritation occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse.

Contains Oxalic Acid

Supplementary precautionary

statements

P264 Wash contaminated skin thoroughly after handling. P321 Specific treatment (see medical advice on this label).

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Oxalic Acid 5-10%

CAS number: 144-62-7 EC number: 205-634-3

Classification

Acute Tox. 4 - H302 Acute Tox. 4 - H312 Eye Dam. 1 - H318

fluorosilicic acid ... % 3-5%

CAS number: 16961-83-4 EC number: 241-034-8

Classification

Skin Corr. 1B - H314

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Get medical attention if symptoms are severe or persist. Remove affected person from source of

contamination.

Inhalation Unlikely route of exposure as the product does not contain volatile substances. Move affected person to

fresh air and keep warm and at rest in a position comfortable for breathing.

Sultraspot Metal (N)

Ingestion Never give anything by mouth to an unconscious person. Do not induce vomiting. Promptly get affected

person to drink large volumes of water to dilute the swallowed chemical. Give milk instead of water if

readily available. Get medical attention immediately.

Skin contact Wash skin thoroughly with soap and water. Remove contaminated clothing. Get medical attention

promptly if symptoms occur after washing.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get

medical attention immediately. Continue to rinse.

4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the length of

exposure.

Inhalation Spray/mists may cause respiratory tract irritation. This is unlikely to occur but symptoms similar to those

of ingestion may develop.

Ingestion May cause discomfort if swallowed.

Skin contact Causes skin irritation. Prolonged or repeated contact with skin may cause irritation, redness and

dermatitis

Eye contact Severe irritation, burning and tearing.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water

fog. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards No unusual fire or explosion hazards noted.

Hazardous combustion products Does not decompose when used and stored as recommended. Thermal decomposition or combustion

products may include the following substances: Harmful gases or vapours. Oxides of the following

substances: Carbon. Fluorine. Nitrogen.

5.3. Advice for firefighters

Protective actions during

firefighting

If risk of water pollution occurs, notify appropriate authorities. Control run-off water by containing and

keeping it out of sewers and watercourses.

Special protective equipment for

firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

Firefighter's clothing will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Spillages or uncontrolled discharges into watercourses must be reported immediately to the

Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb in vermiculite, dry sand or earth and place into containers. Flush spilled material into suitable

retaining areas or container with large quantities of water. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dispose of contents/container in accordance with national

regulations.

6.4. Reference to other sections

Sultraspot Metal (N)

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet. See Section 11 for additional

information on health hazards. See Section 12 for additional information on ecological hazards. For waste

disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink

and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container

tightly sealed when not in use. Avoid contact with skin and eyes.

Advice on general occupational

hygiene

Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated

clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep above the chemical's freezing point to avoid rupturing the container. Keep container tightly closed.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

Oxalic Acid

Long-term exposure limit (8-hour TWA): WEL 1 mg/m³ Short-term exposure limit (15-minute): WEL 2 mg/m³

fluorosilicic acid ... %

Short-term exposure limit (15-minute): 2.5 mg/m³

WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment





Appropriate engineering controls No specific ventilation requirements.

Eye/face protection Safety glasses with side-shields (EN 166).

Hand protection Chemical resistant PVC/Nitrilrubber gloves (to European standard EN 374 or equivalent).

Thickness: 0,4 mm. Penetration time: >480 min (level 6). The selection of specific gloves for a specific application and time of use in a working area, should also take into account other factors on the working space, such as (but not limited to): other chemicals that are possibly used, physical requirements (protection against cutting/drilling, skill, thermal protection), and

the instructions/specification of the supplier of gloves.

Other skin and body protection Wear suitable protective clothing (EN14605)

Hygiene measures Do not eat, drink or smoke when using this product.

Respiratory protection Respiratory protection must be used if the airborne contamination exceeds the recommended

occupational exposure limit.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Yellowish.

Sultraspot Metal (N)

Odour Characteristic.

pH (concentrated solution): <3

Flash point Not applicable.

9.2. Other information

Other information Not determined.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions No potentially hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid Avoid contact with the following materials: Oxidising agents. Reducing agents.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents. Strong reducing agents.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. Oxides of the following

substances: Carbon. Silicon. Fluorine.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Not regarded as a health hazard under current legislation.

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 10,000.0

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

ATE dermal (mg/kg) 22,000.0

Acute toxicity - inhalation

Notes (inhalation LC50) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Sultraspot Metal (N)

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

IARC carcinogenicity None of the ingredients are listed or exempt.

Reproductive toxicity

Reproductive toxicity - fertility

Based on available data the classification criteria are not met.

Reproductive toxicity
Based on available data the classification criteria are not met.

development

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

General information The severity of the symptoms described will vary dependent on the concentration and the length of

exposure.

Inhalation Spray/mists may cause respiratory tract irritation. This is unlikely to occur but symptoms similar to those

of ingestion may develop.

Ingestion Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract.

Skin contact Irritating to skin.

Eye contact Risk of serious damage to eyes. Symptoms following overexposure may include the following: Redness.

Pain.

Acute and chronic health hazards This product may cause skin and eye irritation. Repeated exposure may cause chronic eye irritation. Mild

dermatitis, allergic skin rash.

Route of exposure Skin and/or eye contact

Ingestion

Toxicological information on ingredients.

Oxalic Acid

Acute toxicity - oral

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

ATE dermal (mg/kg) 1,100.0

Inhalation Gas or vapour is harmful on prolonged exposure or in high concentrations.

Ingestion Swallowing concentrated chemical may cause severe internal injury.

Skin contact Harmful in contact with skin. Irritating to skin.

Eye contact This product is strongly corrosive. Causes severe skin burns and eye damage. Immediate first

aid is imperative.

Sultraspot Metal (N)

Acute and chronic health

hazards

Gas or vapour is harmful on prolonged exposure or in high concentrations. This chemical can be hazardous when inhaled and/or touched. This product is corrosive. This product may cause skin and eye irritation. Prolonged contact may cause burns. Symptoms following overexposure may include the following: Irritation of eyes and mucous membranes. May cause damage to the kidneys. Repeated exposure may cause chronic eye irritation. May cause chemical eye burns. Acute eczematous dermatitis, contact type erythema, oedema, papules, vesicles, bullae, crusts, desquamation. Swallowing concentrated chemical may cause severe internal injury. Unconsciousness. Death.

Route of exposure Inhalation Ingestion. Skin and/or eye contact

Target organs Blood Central nervous system Eyes Gastro-intestinal tract Kidneys Respiratory system, lungs

Skin Bladder

Medical symptoms Severe irritation, burning and tearing. Rhinitis (inflammation of the nasal mucous membranes).

Upper respiratory irritation. General respiratory distress, unproductive cough. Severe skin irritation. Nausea, vomiting. Irritability, hyperactivity, convulsions. Behavioural changes.

Medical considerations Chronic respiratory and obstructive airway diseases. Skin disorders and allergies.

SECTION 12: Ecological information

Ecotoxicity Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous

effects on the environment.

Ecological information on ingredients.

Oxalic Acid

Ecotoxicity Environmental information currently available for the ingredients of this preparation indicates

that it does not contain any ingredients currently classified as Dangerous for the Environment.

12.1. Toxicity

Toxicity Not considered toxic to fish.

Ecological information on ingredients.

Oxalic Acid

Toxicity May be dangerous to fish at high concentrations due to this being an unnatural aquatic

environment, but not classified as being Toxic or Very Toxic to aquatic organisms.

fluorosilicic acid ... %

Acute aquatic toxicity

Acute toxicity - fish LC50, 96 hours: 5.9-7.5 mg/l, Fish

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down

in The Detergents Regulations (as amended).

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility Soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

12.6. Other adverse effects

Other adverse effects None known.

Sultraspot Metal (N)

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Dispose of in accordance with Local Authority regulations as special waste according to The Control of

Special Waste Regulations 1996.

EURAL Code

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA,

ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and

Not applicable.

the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Health and Safety at Work etc. Act 1974 (as amended).

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI

2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits.

Danish product registration

number

Danish national regulations

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

Inventories

EU - EINECS/ELINCS

None of the ingredients are listed or exempt.

US - TSCA

Some of the ingredients are listed or exempt.

Sultraspot Metal (N)

US - TSCA 12(b) Export Notification

Some of the ingredients are listed or exempt.

SECTION 16: Other information

in the safety data sheet

Abbreviations and acronyms used ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways.

RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.

IATA: International Air Transport Association.

ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IMDG: International Maritime Dangerous Goods.

CAS: Chemical Abstracts Service. ATE: Acute Toxicity Estimate.

LC50: Lethal Concentration to 50 % of a test population.

LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).

EC50: 50% of maximal Effective Concentration.

PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.

Revision comments Revision is due to address change

Revision date 19/10/2022

Revision 13

Supersedes date 19/07/2021 SDS number 7874/21836

Hazard statements in full H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.